ROSS GARDAM



Featuring solid brass bars paired with textured, tubular formed-glass elements, Volant is an elegant collection of statement luminaires. This delicate light creates an equilibrium between the different materials and offers a beautifully soft level of luminosity.



Volant’s modular and architectural nature allow the fixture to span across a plethora of interior spaces. The solid brass bars are individually machined with the luminaire defined by a white glass diffuser which is pinned in-place to the solid brass bar. Textured tubular glass elements are balanced on the same pins creating a uniquely formed illumination.



IMAGE /

LEFT & RIGHT - (VW1) FROSTED BLACK GLASS / BLACKENED BRASS / (VW1) CLEAR FLUTED / BRONZED BRASS











IMAGE /

TOP LEFT / RIGHT - (VW2) FROSTED BLACK GLASS AND BRUSHED BRASS / (VW1) FROSTED FLUTED GLASS AND BRONZED BRASS
BOTTOM LEFT / RIGHT - (VW1) FLUTED GLASS AND BRUSHED BRASS / (VW2) FROSTED FLUTED GLASS AND BLACKENED BRASS



IMAGE /

(VW2) CLEAR FLUTED GLASS AND BRONZE BRASS





VOLANT WALL LIGHT

VOLANT FEATURES SOLID BRASS BARS, PAIRED WITH TEXTURED, TUBULAR FORMED-GLASS ELEMENTS, CREATING A STATEMENT LUMINAIRE. THIS DELICATE LIGHT CREATES AN EQUILIBRIUM BETWEEN THE DIFFERENT MATERIALS AND OFFERS A BEAUTIFULLY SOFT LEVEL OF LUMINOSITY.



VW1
W 70 H 500 D 80
W 2.8" H 19.7" D 3.2"



VW1
W 160 H 500 D 80
W 6.3" H 19.7" D 3.2"

*DOTTED LINE REPRESENTS
OPTIONAL JUNCTION BOX COVER PLATE





IMAGE /

VC323 - CLEAR FLUTED GLASS / BRUSHED BRASS





IMAGE /

LEFT / VC324 - FROSTED BLACK / BRONZED BRASS
RIGHT / VC324 - FROSTED FLUTED / BRONZED BRASS









IMAGE /

TOP LEFT / RIGHT - (VC211) FROSTED FLUTED GLASS AND BRUSHED BRASS / (VC212) FROSTED BLACK GLASS AND BLACKENED BRASS
BOTTOM LEFT / RIGHT - (VC323) FROSTED FLUTED GLASS AND BLACKENED BRASS / (VC324) FLUTED GLASS AND BRUSHED BRASS

IMAGE /

(VC324) FROSTED BLACK GLASS / BLACKENED BRASS







VOLANT 21 & 32 CHANDELIER

THE LINEAR CONFIGURATION OF THE VOLANT 21 AND 32 MAKES IT IDEAL FOR DINING AREAS, KITCHEN ISLANDS AND OTHER HORIZONTALLY-ORIENTED SPACES.



VC211
L 1790 W 70 H 100
L 70.5” W 3” H 4”
MIN DROP HEIGHT - H 300 / 11.8”



VC212
L 1790 W 70 H 100
L 70.5” W 3” H 4”
MIN DROP HEIGHT - H 300 / 11.8”



VC323
L 1790 W 1790 H 350
L 70.5” W 70.5” H 13.8”
MIN DROP HEIGHT - H 550 / 21.7”



VC324
L 1790 W 1790 H 350
L 70.5” W 70.5” H 13.8”
MIN DROP HEIGHT - H 550 / 21.7”













IMAGE /

TOP LEFT / RIGHT - (VC333S) FROSTED BLACK GLASS AND BRUSHED BRASS / (VC333S) FROSTED FLUTED GLASS AND BLACKENED BRASS
MIDDLE LEFT / RIGHT - (VC333L) FLUTED GLASS AND BRONZED BRASS / (VC333L) FROSTED FLUTED GLASS AND BRUSHED BRASS



VOLANT 33 CHANDELIER

THE VOLANT 33 FEATURES TRIPLE ARRAYED BARS DESIGNED TO ENHANCE LARGER SPACES WITH ITS ARRANGEMENT OF THREE HORIZONTAL BARS.



VC333S
L 1790 W 1570 H 600
L 70.5” W 61.8” H 23.6’
MIN DROP HEIGHT - H 790 / 31.1”



VC333L
L 1790 W 1570 H 1100
L 70.5” W 61.8” H 43.3”
MIN DROP HEIGHT - H 1290 / 50.8”





IMAGE /

LEFT / RIGHT - (VC555) FROSTED BLACK GLASS / BRUSHED BRASS / (VC666) FROSTED FLUTED GLASS / BRONZED BRASS



IMAGE /

VC555 - FROSTED BLACK / BLACKENED BRASS





IMAGE /

LEFT / RIGHT - (VC555) FROSTED BLACK GLASS AND BLACKENED BRASS / (VC666) FROSTED FLUTED GLASS AND BRUSHED BRASS



VOLANT 55 & 66 CHANDELIER

THE LARGE FORMAT VOLANT 55 AND 66 FEATURES CIRCULAR ARRAYED BARS CREATED TO MAKE A DRAMATIC STATEMENT IN GRAND ENTRYWAYS, FOYERS AND EXPANSIVE VOIDS.



VC555
L 1790 W 1720 H 2090
L 70.5" W 67.7" H 82.3"
MIN DROP HEIGHT - H 2290 / 102"



VC666
L 1790 W 1790 H 2580
L 70.5" W 70.5" H 101.6"
MIN DROP HEIGHT - H 2780 / 121.3"



TECHNICAL VOLANT

AVAILABLE FINISHES

GLASS



FLUTED GLASS | FROSTED FLUTED GLASS | FROSTED BLACK GLASS

BODY



BRUSHED BRASS | BLACKENED BRASS | BRONZED BRASS

MATERIAL	TREATED BRASS, GLASS
FINISH	ALL BRASS FRAMES ARE BRUSHED AND TREATED TO ACHIEVE THE AVAILABLE FINISH OPTIONS, THEN SEALED TO PREVENT ACCELERATED AGING.
LAMPING	SELV 60V (EXTERNAL DRIVER SUPPLIED) VW1 - 5.3W, 775 LM, 2700K VW2 - 7.8W, 1180 LM, 2700K VC211 - 4.4W, 610-670 LM, 2700K VC212 - 8.8W, 1220-1340 LM, 2700K VC323 - 13.2W, 1710-2100 LM, 2700K VC324 - 16W, 2060-2360 LM, 2700K VC333S - 13.2W, 1710-2100 LM, 2700K VC333L - 13.2W, 1710-2100 LM, 2700K VC555 - 22W, 3050-3550 LM, 2700K VC666 - 26.4W, 3660-4020 LM, 2700K WATTAGE AND LUMEN OUTPUT WILL VARY SLIGHTLY DEPENDING ON CONSTANT CURRENT OUTPUT.
220-240V REGIONS	DIMMING OPTIONS · PHASE - DIMMING RANGE 5 - 100% · DALI - DIMMING RANGE 1 - 100%
110-120V REGIONS	DIMMING OPTIONS · PHASE - DIMMING RANGE 3 - 100% · DALI - DIMMING RANGE 0.1 - 100%
	ALL US AND CANADIAN ORDERS COME SUPPLIED WITH 120V COMPONENTRY CERTIFIED FOR USE IN THESE REGIONS.
	FOR OPTIMAL DIMMING PERFORMANCE WE RECOMMEND SOURCING A DIMMER CAPABLE OF SETTING THE DIMMING RANGE OF THE FIXTURE.
MOUNTING	TO ENSURE CORRECT COVERAGE OVER 4" JUNCTION BOXES AN ADDITIONAL 120MM X 250MM / 4.7" X 9.8" RECTANGULAR COVER PLATE IS SUPPLIED FOR US/CAN REGIONS. MOUNTING HOLES DESIGNED TO SUIT STANDARD 4" JUNCTION BOXES.
PRODUCT CODES SKU	EG. VC323.G-FLU.BR-BRZ VOLANT 323 CHANDELIER IN FLUTED CLEAR GLASS WITH A BRONZED BRASS FRAME

VW1.G-XXX.BR-XXX	VOLANT SINGLE WALL LIGHT
VW2.G-XXX.BR-XXX	VOLANT DOUBLE WALL LIGHT
VC211.G-XXX.BR-XXX	VOLANT 211 CHANDELIER
VC212.G-XXX.BR-XXX	VOLANT 212 CHANDELIER
VC323.G-XXX.BR-XXX	VOLANT 323 CHANDELIER
VC324.G-XXX.BR-XXX	VOLANT 324 CHANDELIER
VC333S.G-XXX.BR-XXX	VOLANT 333S CHANDELIER
VC333L.G-XXX.BR-XXX	VOLANT 333L CHANDELIER
VC555.G-XXX.BR-XXX	VOLANT 555 CHANDELIER
VC666.G-XXX.BR-XXX	VOLANT 666 CHANDELIER

FINISHES	GLASS	FROSTED BLACK (G-FBL) FLUTED (G-FLU) FROSTED FLUTED (G-FFL)
	FRAME	BRUSHED BRASS (BR-NAT) BLACKENED BRASS (BR-BLK) BRONZED BRASS (BR-BRZ)
LED LIFESPAN	50,000 HRS	
IP RATING	IP20 - FOR INDOOR USE ONLY	
CERTIFICATION	AU/NZ	AS/NZS 60598.1, 60598.2.1
	EU	EN 60598.1, 60598.2.1
	US/CAN	ETL/UL CERTIFICATION PENDING
CANOPY	VARIOUS - SEE CANOPY OPTIONS ON SPECIFICATION PAGE	

WEIGHT	
VW1	2KG / 4.4LB
VW2	5KG / 11LB
VC211	7.5KG / 16.5LB
VC212	8.5KG / 19LB
VC323	14.5KG / 32LB
VC324	15.5KG / 34LB
VC333S	19KG / 42LB
VC333L	20KG / 44LB
VC555	35KG / 77LB
VC666	42KG / 93LB

PACKAGING	
VW1	L 10CM W 60CM H 10CM / L 4" W 23.6" H 4"
VW2	L 20CM W 60CM H 10CM / L 7'8" W 23'6" H 4"
VC211	1 X L 192CM W 37CM H 19CM / L 75.6" W 14.6" H 8"
VC212	1 X L 192CM W 37CM H 19CM / L 75.6" W 14.6" H 8"
VC323	2 X L 192CM W 37CM H 19CM / L 75.6" W 14.6" H 8"
VC324	2 X L 192CM W 37CM H 19CM / L 75.6" W 14.6" H 8"
VC333S	2 X L 192CM W 37CM H 19CM / L 75.6" W 14.6" H 8"
VC333L	2 X L 192CM W 37CM H 19CM / L 75.6" W 14.6" H 8"
VC555	2 X 16KG / 35LB, 1 X 9KG / 20LB, 1 X 3KG / 6.6LB
VC666	3 X 16.5KG / 36.5LB, 1 X 3KG / 6.6LB

PACKAGING WEIGHT	
VW1	1 X 3KG / 6.6LB
VW2	1 X 6KG / 13.2LB
VC211	1 X 10.5KG / 23LB
VC212	1 X 11.5KG / 25LB
VC323	1 X 13KG / 28.5LB, 1 X 7.5KG / 16.5LB
VC324	1 X 13.5KG / 30LB, 1 X 8.5KG / 19LBV
VC333S	1 X 16KG / 35LB, 1 X 9KG / 20LB
VC333L	1 X 16.5KG / 36.5LB, 1 X 9.5KG / 21LB
VC555	3 X L 192CM W 37CM H 19CM / L 75.6" W 14.6" H 8" 1 X L 50CM W 50CM H 25CM / L 19.7" W 19.7" H 10"
VC666	3 X L 192CM W 37CM H 19CM / L 75.6" W 14.6" H 8" 1 X L 50CM W 50CM H 25CM / L 19.7" W 19.7" H 10"



ROSS GARDAM

PHOTOGRAPHY BY HAYDN CATTACH - HAYDNCATTACH.COM
COLOUR AND SWATCHES SHOWN IN THIS DOCUMENT ARE FOR REFERENCE ONLY AND MAY DIFFER IN ACTUALITY.
COPYRIGHT ©2023 ROSS GARDAM PTY LTD. ALL CONCEPTS, PHOTOGRAPHY AND IDEAS CONTAINED WITHIN THIS DOCUMENT ARE PRIVATE AND CONFIDENTIAL. THEY MUST NOT BE REPRODUCED IN ANY WAY OR FORM AND REMAIN THE INTELLECTUAL PROPERTY OF ROSS GARDAM. ALL PRODUCTS ARE REGISTERED DESIGNS WITH IP AUSTRALIA.